




Zhuzhou Ruiao Tungsten Carbide Co.,Ltd

RUIAO CARBIDE

Tel.+86-731-22580438/ Mobile.+86 18307332261



TYPE ONE



Dimension	D	D1	L	L1	M
ø10/9.5-100/30-M6	10	9.5	100	30	6
ø10-50-150-M6	10	9.5	150	50	6
ø12-50-150-M6	12	11.5	150	50	6
ø16-50-150-M8	16	15.5	150	50	8
ø16-50-200-M8	16	15.5	200	50	8
ø16-70-250-M8	16	15.5	250	70	8
ø16-85-120-M8	16	15.6	120	85	8
ø16-95-150-M8	16	15.6	150	95	8
ø16-145-200-M8	16	15.6	200	145	8
ø20-40-100-M10	20	19.6	100	40	10
ø20-90-150-M10	20	19.6	150	90	10
ø20-140-200-M10	20	19.6	200	140	10
ø24/23.5-100/40-M12	24	23.5	100	40	12
ø24/23.5-150/70-M12	24	23.5	150	70	12
ø24/23.5-200/100-M12	24	23.5	200	100	12

ø24/23.5-250/150-M12	24	23.5	250	150	12
ø24/23.5-300/200-M12	24	23.5	300	200	12
ø25-40-100-M12	25	24.6	100	40	12
ø25-85-150-M12	25	24.6	150	85	12
ø25-135-200-M12	25	24.6	200	135	12
ø32-70-200-M16	32	31	200	70	16
ø32-130-300-M16	32	31	300	130	16
ø32-150-350-M16	32	31	350	150	16


TYPE TWO



Specification	D(mm)	L(mm)	D1(mm)	M
ø08-100-M4	8	100	8	4
ø10-80-M5/M6	10	80	10	M5/M6
ø10-100-M5/M6	10	100	10	M5/M6
ø10-150-M5/M6	10	150	10	M5/M6
ø12-100-M6	12	100	12	6
ø12-150-M6	12	150	12	6
ø15-100-M8	15	100	15	8
ø15-150-M8	15	150	15	8
ø15-200-M8	15	200	15	8
ø15.6-150-M8	15.6	150	15.6	8
ø15.6-200-M8	15.6	200	15.6	8
ø15.6-250-M8	15.6	250	15.6	8
ø16-100-M8	16	100	16	8
ø16-150-M8	16	150	16	8
ø16-200-M8	16	200	16	8
ø16-250-M8	16	250	16	8
ø16-300-M8	16	300	16	8
ø19-100-M10	19	100	19	10
ø19-150-M10	19	150	19	10

ø19-200-M10	19	200	19	10
ø 19-250-M10	19	250	19	10
ø20-100-M10	20	100	20	10
ø20-150-M10	20	150	20	10
ø20-200-M10	20	200	20	10
ø20-250-M10	20	250	20	10
ø 20-300-M10	20	300	20	10
ø24-150-M12	24	150	24	12
ø24-200-M12	24	200	24	12
ø24-250-M12	24	250	24	12
ø24-300-M12	24	300	24	12
ø25-100-M12	25	100	25	12
ø25-150-M12	25	150	25	12
ø25-200-M12	25	200	25	12
ø25-250-M12	25	250	25	12
ø25-300-M12	25	300	25	12
ø32-150-M16	32	150	32	16
ø32-200-M16	32	200	32	16
ø32-250-M16	32	250	32	16
ø32-300-M16	32	300	32	16
ø32-350-M16	32	350	32	16
ø32-400-M16	32	400	32	16
ø40-300-M16/M20	40	300	40	M16/M20
ø40-350-M16/M20	40	350	40	M16/M20
ø40-400-M16/M20	40	400	40	M16/M20
ø42-200-M16/M20	42	200	42	M16/M20
ø42-250-M16/M20	42	250	42	M16/M20
ø42-300-M16/M20	42	300	42	M16/M20
ø42-350-M16/M20	42	350	42	M16/M20
ø42-400-M16/M20	42	400	42	M16/M20
ø42-450-M16/M20	42	450	42	M16/M20
ø42-500-M16/M20	42	500	42	M16/M20

TYPE THREE



Specification	D (mm)	D1 (mm)	L	L1	M	α°
$\phi 12/9.5-100/35-M6$	12	9.5	100	35	6	2°02'47"
$\phi 12/9.5-150/70-M6$	12	9.5	150	70	6	1°01'25"
$\phi 16/11.5-120/60-M8$	16	11.5	120	60	8	2°08'55"
$\phi 16/11.5-150/70-M8$	16	11.5	150	70	8	1°50'31"
$\phi 20/14.5-100/40-M10$	20	14.5	100	40	10	3°56'06"
$\phi 20/14.5-150/77-M10$	20	14.5	150	77	10	2°02'47"
$\phi 16/15.5-200/150-M8$	16	15.5	200	150	8	0°05'44"
$\phi 20/18.5-100/40-M10$	20	18.5	100	40	10	1°04'29"
$\phi 25/18.5-100/40-M12$	25	18.5	100	40	12	0°17'12"
$\phi 25/18.5-150/70-M12$	25	18.5	150	70	12	2°39'35"
$\phi 20/18.5-150/90-M10$	20	18.5	150	90	10	0°28'40"
$\phi 20/18.5-200/140-M10$	20	18.5	200	140	10	0°18'26"
$\phi 25/18.5-200/140-M12$	25	18.5	200	140	12	0°04'55"
$\phi 32/23.5-200/120-M16$	32	23.5	200	120	16	2°01'46"
$\phi 32/29-250/170-M16$	32	29	250	170	16	0°30'21"
$\phi 32/29-300/200-M16$	32	29	300	200	16	0°25'48"

